

JXG 213-F Prebuilt Assembly Manual

V1.0.1



CREATIVESTAR SOLUTIONS

1601 Trapelo Road, STE 264
Waltham, MA 02451










Table of Contents



<i>Artemis Kiosk Installation Overview</i>	3
<i>Preparations Before Assembly.....</i>	5
Items Included in Kit.....	5
Required Tools.....	5
Required Parts.....	5
<i>About Us.....</i>	8
Who we are	8
Contact Us	8

Artemis Kiosk Installation Overview

Step1: Contained Pieces



1. Kiosk Stand	2. Kiosk Power Cable	3. Power Supply	4. 20 Pin Connector
5. Tablet Power Cable	6. Relay Cable	7. Power Adapter	8. Temperature Detection Module
9. Kiosk Base	10. Extended Bracket	11. Access Terminal Tablet Bracket	12. Digital Detection Module Bracket
13. Extended Bracket Cover	14. Plastic Kiosk Cover	15. Wall Mounting Kit 	16. Digital Detection Module Screws 
17. Base Mounting Kit 	18. Bracket Screws and Wingnuts 	19. Wire Connector	20. Kiosk Back Cover Screws 
21. Back Up screws 	22. Access Terminal Tablet	23. Placement Sticker	

<p>Step2: It is highly recommended by the manufacturers to watch the video tutorial before beginning installation process.</p> <p>www.cssinco.com/manuals</p> <p>www.cssinco.com/videos</p>	
<p>Step3: Start installation process following steps below and revisit video tutorial when necessary.</p>	
<p>Step4: Double check functionality of terminal by going through the verification process:</p>	
1. Plug in power	
2. When powering up, refer to the <i>JXG 213 First time Power on Setup</i> document and follow steps to set up activation password. Make sure to write down password!	
3. Test for functionality by taking temperature. The red or green bar MUST be present with the temperature shown inside to ensure successful installation.	

Disclaimer

No part of this quick guide may be copied, reproduced, translated, or distributed in any form or by any means without prior written consent from Us.

The manual may be updated from time to time due to version upgrade or other reasons.

The manual is for reference only. All the statements, information, and suggestions contained herein do not constitute warranties of any kind, express or implied.

We shall not under any circumstances be liable for any special, consequential, incidental or indirect damages arising from the use of this manual or our product, including but not limited to any loss of commercial profits, losses caused by missing data or documents, and anomalies during product running or information leakage due to cyber attacks, hacker attacks, or virus attacks.

Preparations Before Assembly

Items Included in Kit

Please refer to overview manual for complete part overview.

- Pre-Assembled Kiosk Stand
- Pre-Assembled Tablet
- Relay Cable (6)
- Kiosk Base (9)
- Plastic Kiosk Cover (14)
- Wall Mounting Kit (15)
- Base Mounting Kit (17)
- Bracket Screws (18)
- Kiosk Back Cover Screws (20)
- Back Up Screws (21)
- Placement Sticker (23)

Required Tools

- Phillips Screwdriver
- Pliers

Required Parts

- Pre-Assembled Kiosk Stand
- Pre-Assembled Tablet
- Kiosk Base (9)
- Base Mounting Kit (17)
- Bracket Screws (18)
- Kiosk Back Cover Screws (20)


Assembly Instructions (8 Steps)

1. First open the bottom panel of the *pre-assembled kiosk stand* by unscrewing the two screws at the base with a Philips screwdriver.
2. Firmly attach to the *kiosk base* (9) to the *pre-assembled kiosk stand* by using the washers from the *base mounting kit* (17).



3. Open the top panel by unscrewing the screws with a Philips screwdriver.
4. Open the middle panel by unscrewing the screws with a Philips screwdriver easier access to bringing ethernet to the bottom.
5. Thread the ethernet cable down the kiosk so it reaches the bottom.

6. Remove the taped wire from the kiosk and gently connect it to the *pre-assembled tablet*.



7. Use the screws (18) to attach the *pre-assembled tablet* to the *pre-assembled kiosk stand*. Use the reference picture below to align the *pre-assembled tablet* on the *pre-assembled kiosk stand* properly.



8. Replace all back panels by using the *kiosk back cover screws* (20).

**Congratulations, you have now completed
Artemis JXG213-F Prebuilt Assembly.**

About Us

Who we are

CreativeStar Solutions is a Massachusetts based technology and software company providing essential technology, software, and services for businesses to adapt to the challenges brought on by the COVID-19 Pandemic. Not only does our technology and software help businesses reopen, but these products are also designed to prepare businesses for any unexpected events in the future. Prepare your business for unexpected events, keep employees and customers safe, and decrease the risk of future financial loss.

Contact Us

1601 Trapelo Road, STE 264
Waltham, MA 02451
www.cssinco.com
1-617-326-5308
sales@cssinco.com
marketing@cssinco.com
customercare@cssinco.com
support@cssinco.com

